

		ll-shade tinting colour, ochre yellow ochre yellow vision date 08-Jul-2021	Print date 08-Jul-2021
SE	CTION 1: Identification of the s	substance/mixture and of the company/undertaking	
1.1	Product identifier		
	Trade name/designation		
	3300010	Full-shade tinting colour, ochre yellow	
1.2	Relevant identified uses of the	substance or mixture and uses advised against	
	Relevant identified uses		
*	Matt coatings for interior walls and	d ceilings	
1.3 Details of the supplier of the safety data sheet			
	Supplier		
	AURO Pflanzenchemie AG		
	Alte Frankfurter Straße 211	Telephone: +49 531 28141-0	
	38122 Braunschweig Deutschland	Telefax: +49 531 28141-72	
	Deutschland	E-mail: info@auro.de Website: www.auro.de	
	Department responsible for info	ormation	
	E-mail (competent person)	msds@auro.de	
1.4	Emergency telephone number		
	Emergency telephone number	+44 1544388535	
	Only available during office hours		
SE	CTION 2: Hazards identification	n	
2.1	Classification of the substance	or mixture	
not applicable Classification according to Regulation (EC) No 1272/2008 [CLP]			
	The mixture is classified as not ha	azardous according to regulation (EC) No 1272/2008 [CLP].	
2.2 Label elements			
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]		
	Hazard pictograms		
	not applicable		
Signal word not applicable			
Hazard statements			
	not applicable		
Precautionary statements			
	not applicable		
	Hazard components for labelling		
	not applicable		
	Supplemental hazard information	on	
2.3	not applicable Other hazards		
2.3		not meet the PBT/vPvB criteria according to REACH, annex	XIII
SF	CTION 3: Composition / inform	-	
3.2	Mixtures		
Description Hazardous ingredients			
nazardous ingredients			

not applicable Remark



3300010Full-shade tinting colour, ochre yellow ochre yellowVersion 1.2Revision date 08-Jul-2021

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ventilate affected area. Do not breathe vapours.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

For cleaning up

Clean using cleansing agents. Do not use solvents.



Print date 08-Jul-2021

3300010	Full-shade tinting colour, ochre yellow ochre yellow
Version 1.2	Revision date 08-Jul-2021

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Advices on general occupational hygiene

When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3 Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No data available

Biological limit values

No data available

8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0,4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin.

Recommended glove articles: EN ISO 374

Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Eye glasses with side protection

Body protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.



		ıll-shade tinting colour, ochre yellow ochre yellow evision date 08-Jul-2021	Print date 08-Jul-2021
	Environmental exposure controls		
	Do not allow to enter into surface water or drains.		
SE	CTION 9: Physical and chem	al properties	
9.1	Information on basic physical	and chemical properties	
	Appearance		
	Physical state	liquid	
*	Colour	refer to label	
	Safety characteristics		
	Odour	characteristic	
	Odour threshold	not determined	
	рН	not determined	
	Melting point/freezing point	not determined	
	Initial boiling point and boiling ra	nge not determined	
	Flash point	not determined	
	Evaporation rate at 20°C	not determined	
	Burning time	not applicable	
	Lower explosion limit at 20°C	not determined	
	Upper explosion limit at 20°C	not determined	
	Vapour pressure at 20°C	22,987 mbar	
*	Density at 20°C	1,152 kg/l	
	Water solubility at 20°C	partially soluble	
	Partition coefficient: n-octanol/w	ter see section 12	
	Ignition temperature in °C	not determined	
	Decomposition temperature	not determined	
	Viscosity	not determined	
	Explosive properties	not relevant	
	Oxidising properties	not relevant	
9.2	Other information		

9.2 Other information

not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.



Print date 08-Jul-2021

3300010	Full-shade tinting colour, ochre yellow ochre yellow	
Version 1.2	Revision date 08-Jul-2021	
SECTION 11: Toxico	logical information	
11.1 Information on to	xicological effects	
Acute toxicity		
Based on available	edata, the classification criteria are not met.	
Skin corrosion/ir	itation	
Based on available	e data, the classification criteria are not met.	
Serious eye dama	ge/eye irritation	
Based on available	e data, the classification criteria are not met.	
Respiratory or sk	n sensitisation	
Based on available	e data, the classification criteria are not met.	
CMR effects (care	inogenicity, mutagenicity and toxicity for reproduction)	
Based on available	e data, the classification criteria are not met.	
STOT-single expo	osure	
Based on available	e data, the classification criteria are not met.	
STOT reported as		

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

SECTION 12: Ecological information

12.1 Toxicity

Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Waste codes/waste designations according to EWC/AVV

080120 - aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

Other disposal recommendations

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information



3300010 Version 1.2		Full-shade tinting colour, ochre yellow ochre yellow Revision date 08-Jul-2021	Print date 08-Jul-2021
14.1	UN number		
	not applicable		
14.2	UN proper shipping name		
	Land transport (ADR/RID)		
	No dangerous good in sense	e of these transport regulations.	
	Sea transport (IMDG)		
	No dangerous good in sense	e of these transport regulations.	
	Air transport (ICAO-TI / IAT	ʿA-DGR)	
		e of these transport regulations.	
14.3	Transport hazard class(es))	
	not applicable		
14.4	Packing group		
	not applicable		
14.5	Environmental hazards		
	Land transport (ADR/RID) Sea transport (IMDG)	not applicable not applicable	
14.6	Special precautions for us	er	
		upright and safe containers. Make sure that persons transport ge. Advices on safe handling: see parts 6 - 8	ing the product know what to do in
14.7	1.7 Transport in bulk according to Annex II of Marpol and the IBC Code		
	No transport as bulk according to IBC Code.		
14.8	1.8 Additional information		
	Land transport (ADR/RID)		
	not applicable		
	Sea transport (IMDG)		
	not applicable		
	Air transport (ICAO-TI / IAT	ʿA-DGR)	
	not applicable		
SE	CTION 15: Regulatory info	rmation	
45 4	Cofety, boolth and environ	mental regulations/legislation analisis for the substance	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

- * VOC-value: 0,506 g/l
- * Directive 2004/42/EC on the limitation of emissions of volatile organic compounds
- * VOC limit value 2004/42/IIA(a): 30 g/l (2010)
- Maximum VOC content (g/L) of the product in a ready to use condition: 0.5065

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-

Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

National regulations

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



3300010 Version 1.2	Full-shade tinting colour, ochre yellow ochre yellow Revision date 08-Jul-2021	Print date 08-Jul-2021	
SECTION 16: Other information			
Relevant R-, H- and EUH-phrases (Number and full text)Relevant R-and H-phrases (Number and full text) not applicable			
Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 not applicable Abbreviations and acronyms		No 1272/2008 [CLP]	
OEL: Occupationa BLV: Biological Iir CAS: Chemical A CLP: Classificatio CMR: Carcinoger DIN: German Inst DNEL: Derived N EAKV: European EC: Effective Cor EC: European Co EN: European Sta IATA-DGR: Intern IBC Code: Internati IMDG Code: Internati IMDG Code: Internati IMDG Code: International LC: Lethal Conce LD: Lethal Dose MWC: Maximum MARPOL: Maritin OECD: Organisat PBT: persistent, b PNEC: Predicted RID: Regulations UN: United Natior VOC: Volatile Org	bstracts Service on, Labelling and Packaging nic, Mutagenic and Reprotoxic titute for Standardization / German industrial standard o-Effect Level Waste Catalogue Directive neentration ommunity andard national Air Transport Association – Dangerous Goods Regulations ational Code for the Construction and Equipment of Ships carrying Danger ional Code for the Construction and Equipment of Ships carrying Danger ional Civil Aviation Organization Technical Instructions for the Safe Transp rnational Maritime Code for Dangerous Goods I Organization for Standardization intration wokplace concentration ne Pollution: The International Convention for the Prevention of Pollution f tion for Economic Cooperation and Development bioaccumulative, toxic No Effect Concentration concerning the International Carriage of Dangerous Goods by Rail	rous Chemicals in Bulk port of Dangerous Goods by Air	
Indication of changes			
" Data changed c	ompared with the previous version		

Data changed compared with the previous version